

Test Report Number: GZHH00170199S1

Date: Apr 08, 2015

This is to supersede Report No. GZHH00170199 dated Apr 03, 2015

Sample Description:

Six (6) pieces of submitted sample said to be: Item Name : glasses

Item No.

Country of Origin : China

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

Conclusion:

Tested sample Requirement Submitted samples BS EN 166: 2002 Personal eye-protection - Specifications: Result Pass

Clause 7.1.2.1 - Optical requirements
Clause 7.1.2.2 - Transmittance
Clause 7.1.4 - Robustness

- Clause 7.1.7 - Resistance to ignition

Authorized by:

For Intertek Testing Services Shenzhen Ltd.

Guangzhou Branch, Hardlines

Ben N.L. Lin General Manager

深圳天祥质量技术服务有限公司广州分公司

Page 1 of 3



Test Report Number: GZHH00170199S1

Tests Conducted

1 Requirements for Eye-Protectors

Test standard: BS EN 166: 2002 Personal eye-protection - Specifications

Number of samples tested: Sixteen (16) pairs of eye-protectors.

Clause	Requirement	Result
7.1.2	Optical requirements	1
7.1.2.1	Spherical, astigmatic and prismatic refractive powers	Р
7.1.2.2	Transmittance	1
7.1.2.2.1	Oculars without filtering action	NA
7.1.2.2.2	Oculars with filtering action (filters) and housings for oculars with filtering action	Р
7.1.2.2.3	Variations in transmittance (Oculars without filtering action are exempt from this requirement)	Р
7.1.4	Robustness	
7.1.4.1	Minimum robustness	Р
7.1.4.2	Increased robustness	Р
7.1.7	Resistance to ignition	Р

Abbreviation: P = Pass; NA = Not Applicable

Test data:

7.1.2.1 Spherical, astigmatic and prismatic refractive powers

Optical power	Left ocular	Right ocular	Limit	Optical class
Spherical power (m ⁻¹)	-0.04	-0.02	± 0.06	1
Astigmatic power (m ⁻¹)	0	0.01	≤ 0.06	'

Prismatic power difference (cm/m)		Limit (cm/m)	Optical class	
Horizontal	Base out	0.14	≤ 0.75	
Tionzoniai	Base in		≤ 0.25	1
Vertical		0	≤ 0.25	

7.1.2.2.2 Oculars with filtering action (filters) and housings for oculars with filtering action

1.1.2.2.2 Octions with intering action (interis) and hodsings for octions with intering action			
Range	Left ocular (%)	Right ocular (%)	
380 - 780nm (T _V)	25.60	26.72	

	Range	Maximum transmittance (%)		
		Left ocular	Right ocular	
ſ	280-315nm (T _{SUVB})	0.01	0.01	
ſ	315 - 380nm (T _{SUVA})	0.02	0.02	



Test Report Number: GZHH00170199S1

Tests Conducted

7.1.2.2.3 Variations in transmittance (Oculars without filtering action are exempt from this requirement)

Variations in transmittance	Value (%)	Limit (%)
P_1	1.80	≤ 5
P_2	4.82	≤ 5
P_3	4.18	≤ 20

Date sample received : Mar 16, 2015

Testing period: Mar 16, 2015 to Mar 24, 2015

End of report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.